# LIST OF CONTENTS
# VOLUME 12 (1988)

Number 1


| | | |
|---|---|---|
| Barbara Wroblewska, Oliver Kempski, Nancy Merkel, Joliet Bembry and Maria Spatz | 1 | Effect of vasoactive peptides on prostacyclin formation in cerebromicrovascular cellular elements and glia: a comparative study |
| Hiroaki Sugino, Toshiaki Miwa, Ryuji Ueno and Osamu Hayaishi | 5 | Alteration in morphology and induction of glutamine synthetase in rat glioma C6BU-1 cells cultured with prostaglandin $D_2$-supplemented media |
| S. B. Qi, Y. Kitamura and Y. Nomura | 13 | Effects of high KCl, isoproterenol, NaF and forskolin on noradrenaline release from cerebral cortical slices of adult and senescent rats |
| Vladimar J. Balcar, Andrew L. Gundlach and Graham A. R. Johnston | 19 | High affinity uptake of cAMP in rat brain: inhibition by coronary vasodilators dilazep and hexobendine |
| Johannes Kornhuber, Malte E. Kornhuber, Gert M. Hartmann and Anselm W. Kornhuber | 25 | *In vivo* influences on cerebrospinal fluid amino acid levels |
| Peter Frey, Maddalena Lis and David M. Coward | 33 | Neurotensin concentrations in rat striatum and nucleus accumbens: further studies of their regulation |
| Claude Chanez, Pascal Barone, Marie-Ange Flexor and Jean-Marie Bourre | 39 | $Na^+K^+$ATPase activity in synaptosomes and myelin of developing control and intra-uterine growth retarded rats: effects of lead and serotonin |
| Karl A. Greene, Olof Beck, Kym F. Faull and William B. Stavinoha | 47 | Mouse brain concentrations of 3-methoxytyramine and normetanephrine: a comparison of methods of sacrifice |
| Philippe Vayer, Jean-Daniel Ehrhardt, Serge Gobaille, Paul Mandel and Michel Maitre | 53 | Gamma hydroxybutyrate distribution and turnover rates in discrete brain regions of the rat |
| J. Mallol and J. Bozal | 61 | 5′-Nucleotidase from bovine brain cortex: effect of solubilization on enzyme kinetics and modulation |
| G. Y. Sun, H-M. Huang, J. A. Kelleher, E. B. Stubbs Jr and A. Y. Sun | 69 | Marker enzymes, phospholipids and acyl group composition of a somal plasma membrane fraction isolated from rat cerebral cortex: a comparison with microsomes and synaptic plasma membranes |
| Andrea J. Cheeseman and John S. Hothersall | 79 | Alternative pathways of glucose utilization in developing rat spinal cord |
| M. B. Assie, M. Charveron and M. Briley | 85 | *In vivo* [$^3$H]ketanserin binding: effect of modifying synaptic serotonin levels |
| C. H. Tan, M. K. Leong and F. H. Ng | 91 | A novel sodium-dependent uptake system for L-leucine in rat brain synaptosomes |
| M. Hamon and H. Gozlan | 97 | Letter to the Editor: About the so-called "specific" binding of [$^3$H]8-OH-DPAT to glass fiber filter |
| Stephen J. Peroutka | 101 | Reply: About the so-called specific binding of [$^3$H]8-OH-DPAT to glass fiber filter |
| | 103 | Book Reviews |
| | 107 | News Items |

Contents

Number 2


| | | |
|---|---|---|
| Heino Prinz | 109 | Commentary: Agonist binding to the nicotinic acetylcholine receptor and probability of channel opening |
| Daiichiro Nakahara, Norio Ozaki, Norio Kaneda, Kazutoshi Kiuchi, Tamotsu Okada, Tatsuro Ohta and Toshiharu Nagatsu | 121 | Intracerebrally administered (6*R*)-L-*erythro*-tetrahydrobiopterin does not affect extracellular levels of dopamine and serotonin metabolites in rat striatum *in vivo* during measurement by brain micro-dialysis system |
| John M. Myers and Godfrey Tunnicliff | 125 | Bicuculline-insensitive GABA binding to catfish neuronal membranes |
| Leo Pezzementi, Hugh C. Nickson and Ronald J. Bradley | 131 | Lamprey brain contains globular and asymmetric forms of acetylcholinesterase |
| Dénes Budai and Péter Kása | 137 | Quantitative analysis of acetylcholine release in depolarized hippocampal slices |
| Phillip J. Robinson and Walter Lovenberg | 143 | Phosphorylation of synaptosomal cytoplasmic proteins: inhibition of calcium-activated, phospholipid-dependent protein kinase (protein kinase C) by BAY K 8644 |
| I. Holopainen and Pirjo Kontro | 155 | Glutamate release from cerebellar granule cells differentiating in culture: modulation of the $K^+$-stimulated release by inhibitory amino acids |
| A. J. Pennington and V. W. Pentreath | 163 | Energy utilization and gluconeogenesis in isolated leech segmental ganglia: quantitative studies on the control and cellular localization of endogenous glycogen |
| A. J. Pennington and V. W. Pentreath | 179 | Neuropeptides modulate the transmitter-induced glycogenolysis and gluconeogenesis in leech segmental ganglia |
| Makio Mogi, Minoru Harada, Kohichi Kojima, Hirofumi Inagaki, Tomoyoshi Kondo, Hirotaro Narabayashi, Toyohisa Arai, Ryoji Teradaira, Keisuke Fujita, Kazutoshi Kiuchi and Toshiharu Nagatsu | 187 | Sandwich enzyme immunoassay of dopamine-$\beta$-hydroxylase in cerebrospinal fluid from control and Parkinsonian patients |
| R. P. J. M. Smits, H. W. M. Steinbusch and A. H. Mulder | 193 | Studies on the specificity of uptake and release of radiolabelled histamine in rat brain slices |
| F. J. P. Lippens, J. A. Van Der Krogt, E. L. Noach and C. F. M. Van Valkenburg | 203 | Monitoring the specific activities of dopamine and its metabolites in striatum and olfactory tubercle after intravenous administration of L-[$^3$H]tyrosine: complex relations, indicating more than two compartments |
| K. Missala and T. L. Sourkes | 209 | Functional cerebral activity of an analogue of serotonin formed *in situ* |
| Donna M. Santer, William E. Heydorn, G. Joseph Creed and David M. Jacobowitz | 215 | Localization of $Ca^{2+}$-binding proteins of rat cortex on two-dimensional gels—I. Identification of calmodulin and the B subunit of calcineurin |
| Donna M. Santer, William E. Heydorn, G. Joseph Creed, Takemi Fukuda and David M. Jacobowitz | 225 | Localization of $Ca^{2+}$-binding proteins of rat cortex on two-dimensional gels—II. Analysis of $Ca^{2+}$ binding proteins in ammonium sulfate fractions of rat brain |
| Harold Hillman | 237 | Letter to the Editor: A rational approach to elucidating the mechanism and location of action of a disease process, or a drug, *in vivo* |
| | 245 | Book Reviews |
| | 249 | News Items |

Contents

Number 3


| | | |
|---|---|---|
| Ole Nybroe, Dorte Linnemann and Elisabeth Bock | 251 | Review: NCAM biosynthesis in brain |
| Frank S. Walsh | 263 | Critique: The N-CAM gene is a complex transcriptional unit |
| Christo Goridis and Wolfgang Wille | 269 | Critique: The three size classes of mouse NCAM proteins arise from a single gene by a combination of alternative splicing and use of different polyadenylation sites |
| Achintya K. Sinhababu and Ronald T. Borchardt | 273 | Commentary: Molecular mechanism of biological action of the serotonergic neurotoxin 5,7-dihydroxytryptamine |
| Marika Eller and Jaak Järv | 285 | Two-step isomerization of quinuclidnyl benzilate–muscarinic receptor complex |
| L. A. Conlay, T. J. Maher, C. H. Roberts and R. J. Wurtman | 291 | Effects of hemorrhagic hypotension on tyrosine concentrations in rat spinal cord and plasma |
| William Freas, Sheila M. Muldoon, Jayne L. Hart and Francis J. Haddy | 297 | Further isolation of endogenous factors in canine and human plasma that inhibit [$^3$H]norepinephrine accumulation |
| C. Fages, B. Rolland, M. F. Dias Costa, M. Khelil, G. Dupre, A. T. Campagnoni and M. Tardy | 307 | Messenger RNA coding for glutamine synthetase in cerebral hemispheres and astroglial cultures from mouse brain: a developmental study |
| E. L. Conway and W. J. Louis | 315 | Age related changes in noradrenaline, noradrenaline turnover and adrenaline in brainstem nuclei of Wistar Kyoto and spontaneously hypertensive rats |
| Patrick M. Sexton, John S. McKenzie and Frederick A. O. Mendelsohn | 323 | Evidence for a new subclass of calcitonin/calcitonin gene-related peptide binding site in rat brain |
| Walter Volknandt, Andreas Henkel and Herbert Zimmermann | 337 | Heterogeneous distribution of synaptophysin and protein 65 in synaptic vesicles isolated from rat cerebral cortex |
| C. Heidbreder, B. Roques, J. J. Vanderhaeghen and Ph. de Witte | 347 | Kelatorphan, a potent enkephalinases inhibitor, presents opposite properties when injected intracerebroventricularly or into the nucleus accumbens on intracranial self-stimulation |
| Hélène Barelli, Fernand Girard, Serge St. Pierre, Patrick Kitabgi, Jean-Pierre Vincent and Frédéric Checler | 351 | Further characterization of a neurotensin-degrading neutral metallo-endopeptidase from rat brain |
| A. Coquerel, I. Dubuc, P. Kitabgi and J. Costentin | 361 | Potentiation by thiorphan and bestatin of the naloxone-insensitive analgesic effects of neurotensin and neuromedin N |
| M. Deschodt-Lanckman, Y. Vanneste and F. Michaux | 367 | Degradation of human atrial natriuretic peptide by human brain membranes |
| Marie-Claude Fournie-Zaluski | 375 | Design and evaluation of inhibitors of enkephalin degrading enzymes |
| Gillian M. Littlewood, Leslie L. Iversen and Anthony J. Turner | 383 | Neuropeptides and their peptidases: functional considerations |
| | 391 | Book Reviews |
| | 395 | News Items |


Number 4


| | | |
|---|---|---|
| | i | Editorial |
| E. Recio-Pinto and D. N. Ishii | 397 | Review: Insulin and related growth factors: effects on the nervous system and mechanism for neurite growth and regeneration |




NC.I. 13/1—J

Contents


| | | |
|---|---|---|
| Laura M. Mudd, Brian A. Masters and Mohan K. Raizada | 415 | Critique: Insulin and related growth factors: effects on the nervous system and mechanism for neurite growth and regeneration. Understanding brain development and repair of CNS injury |
| Derek LeRoith, Maria Rojeski and Jesse Roth | 419 | Critique: Insulin receptors in brain and other tissues: similarities and differences |
| David C. Spray and Paolo Meda | 425 | Critique: Neuronal growth factors: lessons from nonneural tissues |
| Henry McIlwain | 431 | Review: Neurochemistry and related terms: their introduction and acceptance |
| J. Marsal, C. Solsona, X. Rabasseda and J. Blasi | 439 | Botulinum neurotoxin inhibits the release of newly synthesized acetylcholine from *Torpedo* electric organ synaptosomes |
| E. R. Pietrzak, P. A. Wilce and B. C. Shanley | 447 | The effect of chronic ethanol consumption on muscarinic receptors in rat brain |
| Keiichi Enomoto and Takeo Asakawa | 453 | Activation of rat brain adenylate cyclase by proteases: involvement of distinct protein components in the activation by α-chymotrypsin and trypsin |
| John W. Phillis and Michael H. O'Regan | 461 | Vasoactive intestinal polypeptide excitation of cerebral cortical neurons: lack of synergism with adenosine and noradrenaline |
| Jane E. C. Sykes and Matthijs Lopes-Cardozo | 467 | The effect of serum on lipid synthesis and on the expression of oligodendrocyte marker-enzymes in oligodendrocyte-enriched glial cells in culture |
| P. H. Stephens, P. C. Tagari and A. C. Cuello | 475 | Retrograde degeneration of basal forebrain cholinergic neurons after neurotoxin lesions of the neocortex: application of ganglioside $GM_1$ |
| Chee Wee Lee and Simon M. Jarvis | 483 | Kinetic and inhibitor specificity of adenosine transport in guinea pig cerebral cortical synaptosomes: evidence for two nucleoside transporters |
| Takeshi Kato, Yasuhiro Emi, Masatoshi Takita and Youichi Kushima | 493 | Time dependent changes in the concentrations of immunoreactive cholecystokinin octapeptide sulfate in rat brain regions after systemic injection of picrotoxin |
| M. S. Wilson, M. Guzman-Harty, P. Demediuk, L. A. Horrocks and A. J. Yates | 499 | The effects of L-cycloserine on membrane fluidity and lipids of mouse brain |
| Amiram I. Barkai and Leelavati R. Murthy | 505 | Arachidonate incorporation into phospholipids in rat brain: a comparison between slice and membrane preparation |
| Sanford J. Silverman, Mohan C. Vemuri and Robert H. Lipsky | 513 | Differences in nuclear proteins of neurons, astrocytes and C-6 glioma cells |
| Robert H. Lipsky, Mohan C. Vemuri and Sanford J. Silverman | 519 | Changes in nuclear proteins of astrocytes as a result of acute ammonia or ethanol exposure |
| Toshihiro Aiuchi, Yoshihiro Shirane, Hiroyasu Kinemuchi, Yuichiro Arai, Kazuyasu Nakaya and Yasuharu Nakamura | 525 | Enhancement by tetraphenylboron of inhibition of mitochondrial respiration induced by 1-methyl-4-phenylpyridinium ion ($MPP^+$) |
| Andrew L. Gundlach and Graham A. R. Johnston | 533 | Purine enzyme inhibition fails to alter benzodiazepine receptor binding in brain |

Contents

Mann Xu and Takeshi Kato — 539 Brain dialysis: changes in the activities of dopamine neurons in rat striatum by perfusion of acetylcholine agonists under freely moving conditions

547 Book Reviews

553 News Items